

**Mar Athanasius College of Engineering, Kothamangalam**

**Exam Hall Details for the conduct of KTU University examination September 2020**

**S5 B.Tech Supply**

| Room No | M12         | Date | 15-10-20   | 9.30 -12.30 | FN         |  | Total Students | 25 |
|---------|-------------|------|------------|-------------|------------|--|----------------|----|
| DESK 1  | CIM17CE002  |      | MAC16CE115 |             | KMP16EC006 |  | MBI15EC023     |    |
| DESK 2  | ICT17CE023  |      | MAC16CE118 |             | MAC15EC113 |  | MBI16EC016     |    |
| DESK 3  | ICT17CE025  |      | MAC17CE040 |             | MAC16EC028 |  | MBI17EC001     |    |
| DESK 4  | LMBI17CE045 |      | MBI15CE024 |             | MAC16EC061 |  | MBI17EC009     |    |
| DESK 5  | LMBI17CE050 |      | MBI17CE002 |             | MAC17EC063 |  | VJC17EC026     |    |
| DESK 6  | MAC15CE037  |      | MBI17CE019 |             | MAC17EC106 |  |                |    |
| DESK 7  | MAC16CE040  |      | MBI17CE022 |             |            |  |                |    |
| DESK 8  |             |      |            |             |            |  |                |    |
| DESK 9  |             |      |            |             |            |  |                |    |

|              |             |             |          |              |            |            |          |
|--------------|-------------|-------------|----------|--------------|------------|------------|----------|
| <b>CE305</b> | CIM17CE002  |             | <b>1</b> | <b>EC305</b> | KMP16EC006 |            | <b>1</b> |
|              | ICT17CE023  | ICT17CE025  | <b>2</b> |              | MAC15EC113 |            | <b>1</b> |
|              | LMBI17CE045 | LMBI17CE050 | <b>2</b> |              | MAC16EC028 | MAC16EC061 | <b>2</b> |
|              | MAC15CE037  |             | <b>1</b> |              | MAC17EC063 | MAC17EC106 | <b>2</b> |
|              | MAC16CE040  | MAC16CE118  | <b>3</b> |              | MBI15EC023 |            | <b>1</b> |
|              | MAC17CE040  |             | <b>1</b> |              | MBI16EC016 |            | <b>1</b> |
|              | MBI15CE024  |             | <b>1</b> |              | MBI17EC001 | MBI17EC009 | <b>2</b> |
|              | MBI17CE002  | MBI17CE022  | <b>3</b> |              | VJC17EC026 |            | <b>1</b> |

**Mar Athanasius College of Engineering, Kothamangalam**

**Exam Hall Details for the conduct of KTU University examination September 2020**

**S5 B.Tech Supply**

| Room No | M13         | Date | 15-10-20   | 9.30 -12.30 | FN         |  |            | Total Students | 27         |  |
|---------|-------------|------|------------|-------------|------------|--|------------|----------------|------------|--|
| DESK 1  | CHN17CS042  |      | MBI17CS013 |             | MAC15EE075 |  | MAC17EE005 |                | MBI17EE015 |  |
| DESK 2  | LMBI17CS035 |      | MBI17CS021 |             | MAC15EE100 |  | MAC17EE006 |                | MBI17EE017 |  |
| DESK 3  | MAC17CS009  |      | AAE16ME034 |             | MAC15EE110 |  | MAC17EE076 |                | MBI17EE019 |  |
| DESK 4  | MBI15CS018  |      | MAC16ME005 |             | MAC15EE112 |  | MBI16EE016 |                |            |  |
| DESK 5  | MBI15CS030  |      | MBI16ME024 |             | MAC16EE023 |  | MBI17EE002 |                |            |  |
| DESK 6  | MBI16CS018  |      | MBI16ME037 |             | MAC16EE069 |  | MBI17EE003 |                |            |  |
| DESK 7  |             |      |            |             |            |  |            |                |            |  |
| DESK 8  |             |      |            |             |            |  |            |                |            |  |

|              |             |            |          |
|--------------|-------------|------------|----------|
| <b>CS305</b> | CHN17CS042  |            | <b>1</b> |
|              | LMBI17CS035 |            | <b>1</b> |
|              | MAC17CS009  |            | <b>1</b> |
|              | MBI15CS018  | MBI15CS030 | <b>2</b> |
|              | MBI16CS018  |            | <b>1</b> |
|              | MBI17CS013  | MBI17CS021 | <b>2</b> |

|              |            |            |          |
|--------------|------------|------------|----------|
| <b>ME305</b> | AAE16ME034 |            | <b>1</b> |
|              | MAC16ME005 |            | <b>1</b> |
|              | MBI16ME024 | MBI16ME037 | <b>2</b> |
| <b>EE305</b> | MAC15EE075 | MAC15EE112 | <b>4</b> |
|              | MAC16EE023 | MAC16EE069 | <b>2</b> |
|              | MAC17EE005 | MAC17EE076 | <b>3</b> |
|              | MBI16EE016 |            | <b>1</b> |
|              | MBI17EE002 | MBI17EE019 | <b>5</b> |