

Mar Athanasius College of Engineering, Kothamangalam

Exam Hall Details for the conduct of KTU University examination September 2020

S1 & S2 B.Tech Supply

| Room No | M12 | Date | 05-10-20 | 1.30 to 4.30 | AN | Total Students | 28 |
|----------------|------------|-------------|-----------------|---------------------|------------|-----------------------|-----------|
| DESK 1 | ILE18CE010 | | MAC18CE078 | | MAC17EE011 | MBI17EE002 | |
| DESK 2 | ILE18CE011 | | MBI15CE027 | | MAC17EE098 | MBI17EE017 | |
| DESK 3 | MAC16CE060 | | MBI17CE032 | | MAC18EE026 | MBI18EE005 | |
| DESK 4 | MAC16CE095 | | MBI18CE013 | | MAC18EE042 | MBI18EE011 | |
| DESK 5 | MAC17CE053 | | MBI18CE042 | | MAC18EE053 | MBI18EE012 | |
| DESK 6 | MAC17CE096 | | MBI18CE053 | | MBI16EE016 | MBI18EE020 | |
| DESK 7 | MAC18CE049 | | MEC18CE009 | | MBI17EE001 | MBI18EE028 | |
| DESK 8 | | | | | | | |
| DESK 9 | | | | | | | |

| | | |
|------------|------------|----------|
| ILE18CE010 | ILE18CE011 | 2 |
| MAC16CE060 | MAC16CE095 | 2 |
| MAC17CE053 | MAC17CE096 | 2 |
| MAC18CE049 | MAC18CE078 | 2 |
| MBI15CE027 | | 1 |
| MBI17CE032 | | 1 |
| MBI18CE013 | MBI18CE053 | 3 |
| MEC18CE009 | | 1 |

| | | |
|------------|------------|----------|
| MAC17EE011 | MAC17EE098 | 2 |
| MAC18EE026 | MAC18EE053 | 3 |
| MBI16EE016 | | 1 |
| MBI17EE001 | MBI17EE017 | 3 |
| MBI18EE005 | MBI18EE028 | 5 |
| | | |
| | | |

Mar Athanasius College of Engineering, Kothamangalam

Exam Hall Details for the conduct of KTU University examination September 2020

S1 & S2 B.Tech Supply

| Room No | M13 | Date | 05-10-20 | 1.30 to 4.30 | AN | | | Total Students | 29 |
|----------------|------------|-------------|-----------------|---------------------|------------|--|------------|-----------------------|------------|
| DESK 1 | ILE18CS002 | | MBI16CS039 | | MBI18CS017 | | IDK18EC040 | | JCE18AN023 |
| DESK 2 | MBI15CS016 | | MBI16CS058 | | MBI18CS024 | | MAC16EC081 | | TKI18FT048 |
| DESK 3 | MBI16CS004 | | MBI17CS003 | | MBI18CS037 | | MAC17EC016 | | |
| DESK 4 | MBI16CS018 | | MBI17CS004 | | MBI18CS045 | | MBI15EC023 | | |
| DESK 5 | MBI16CS020 | | MBI17CS021 | | MNR18CS012 | | MBI18EC007 | | |
| DESK 6 | MBI16CS027 | | MBI17CS029 | | VJC18CS116 | | MBI18EC011 | | |
| DESK 7 | MBI16CS030 | | MBI18CS011 | | | | MBI18EC017 | | |
| DESK 8 | | | | | | | | | |

| | | |
|------------|------------|----------|
| ILE18CS002 | | 1 |
| MBI15CS016 | | 1 |
| MBI16CS004 | MBI16CS058 | 7 |
| MBI17CS003 | MBI17CS029 | 4 |
| MBI18CS011 | MBI18CS045 | 5 |
| MNR18CS012 | | 1 |
| VJC18CS116 | | 1 |

| | | |
|------------|------------|----------|
| IDK18EC040 | | 1 |
| MAC16EC081 | | 1 |
| MAC17EC016 | | 1 |
| MBI15EC023 | | 1 |
| MBI18EC007 | MBI18EC017 | 3 |
| JCE18AN023 | | 1 |
| TKI18FT048 | | 1 |

